



***until it exists there's ZipWall®, the complete, rapid fit, portable barrier system from Protec**

Zipwall, the complete, rapid fit, portable barrier system that keeps dust at bay

According to health and safety research dust inhalation on construction sites affects many thousands of workers throughout the UK every year. The side-effects of dust inhalation can cause sickness and even threaten lives. Dust from internal works, particularly in occupied areas, also causes disruption and can damage your reputation through a poorly presented site, not to mention the time and cost of clean up.



Zipwall is the complete portable barrier system.

Zipwall from Protec is a unique screening system, which can be installed in minutes by just one person and provides an instant barrier against airborne dust, making it ideal for protection of the working environment and adjoining areas.

Robust and durable this patented system is superior to other screening methods as there is an integral spring-loaded head, which can be instantly locked in place by simply twisting the telescopic poles. This ensures that the tension is always maintained between the ceiling and floor meaning that runs of up to 3 metres are possible between props.


Whilst other temporary screening systems require numerous fixing accessories, which can easily get lost or

misplaced the Zipwall prop is a two-piece system, which is assembled in seconds and ready for use.

A variety of Protec screening materials can be used in conjunction with the Zipwall Props including Flame Retardant or standard polythene, Flame Retardant Barrier sheet or Flame Retardant Promesh HD1207.



Simply twist the pole to lock firmly in place.




Easily installed in minutes by just one person.



Zipwall provides an instant barrier between the working environment and surrounding areas.

Tight-Seal Accessories mean you can create extra tight seals without using tape



1.5m Tight-Seal Soft Foam Rail

After installing your Zipwall screening, this 1.5m bar with its soft spongy edge is attached to a Zipwall Prop and lifted into place, pressing the screening material firmly against the ceiling. This creates an extremely tight seal without the need for tape or nails.

- Soft Foam Rail creates a completely dust free seal.
- Quick and easy to use, fixes to existing Zipwall Prop.
- 1.5 metre length seals a large area instantly.
- Can be cut or overlapped to meet exact screen size.
- Re-usable time and time again.



Tight-Seal Side Clamp securely fixes Foam Rail to the wall

To seal wall edges, the Foam Rail attaches to a Tight-Seal Side Clamp which is supported by a Zipwall Prop. The Side Clamp presses the screening material firmly against the wall to create an extra tight seal.

- Spring loaded clamp maintains dust free seal.
- Quick and easy to use, fixes to existing Zipwall Prop.
- Re-usable time and time again.

Re-sealable Door System

The Zipwall Door system lets you create a re-sealable temporary doorway preventing the spread of dirt and dust to other areas.


Once your Zipwall barrier system is in place, you may wish to install a re-sealable temporary doorway onto the screening material to allow easy access and prevent dirt and dust migrating to clean areas.

The heavy duty Zipwall door system is self-adhesive and is quick and simple to install. The kit comes complete with a unique, safe to use zipper knife that double cuts the sheeting to prevent jamming.

- Self-adhesive zip system adheres directly to screening material.
- Heavy duty two-sided zip allows access and locking from both sides of the screen.
- Create a door space to any size.
- Can be used with any type of screening material.
- Kit comes with unique safe to use Zipper knife.
- Comes complete with tie backs for secure opening during use.



Self-adhesive zippers easily adhere to the screening material.



Use the unique Zipwall Knife™ to double cut the screening material for a jam free opening.



The doorway can be made to any size.



With the zippers undone the doorway can be rolled up and secured with the ties provided.

Zipwall features and benefits

Zipwall is the complete screening system that you can use time and time again... it's as simple as that!



The Zipwall Prop head fixes simply and securely to the barrier sheeting.




Zipwall Props are available in 3.66m and 6m lengths.



Robust Side Clamps fix Foam Rails to the wall.

- Quick and easy to install, no training needed, a 10m screen can be erected in 5 minutes.
- Create exactly the length, height and shape of screen required.
- Perfect for suspended ceilings, can also be used on angled or vaulted ceilings due to adjustable head.
- Rubber non-stick floor and ceiling contact points ensure stability and reduce risk of marking.
- Tight-Seal accessories mean no need for taping screen edges.
- Re-sealable Zipwall door system gives easy access to working area.
- Gives a professional appearance to any project.
- Easily stored and transported in hard wearing Zipwall carry bag.



Foam Rails give a tight seal against ceilings and walls.

Zipwall system components

Zipwall 3.66m Props
Packed 6 Props per case.



Zipwall 6m Props
Packed 2 Props per case.



Tight Seal Foam Rail
Packed 2 per case.



Tight Seal Side Clamp
packed 2 per case.



Zipper Kit
Contains two Heavy Duty Zippers, two tie-strings and one Zipwall Zipper knife.



Zipwall Carry Bag
Carries up to 12 Props and accessories.



Screening materials



Flame Retardant Polythene
Flat polythene sheet supplied in 4m wide rolls. Available in light, medium and heavy gauges.



TPS Polythene
Standard polythene sheet available in 4m wide rolls in medium or heavy gauges.



Flame Retardant Barrier Sheet
A tough, reinforced, heavy duty, puncture and tear resistant polythene material, available in 4m wide rolls.



Flame Retardant Promesh HD1207
A 4m wide material, manufactured from a high density interwoven polypropylene which is incredibly strong and puncture resistant.





The COMPLETE portable barrier system you can use time and time again

Saves time

A Zipwall barrier screen can be installed by a single operator in just five minutes or less.



Saves money

You can re-use Zipwall time after time, project after project.

Saves hassle

No need for other fixing accessories which can easily be lost or misplaced.




Saves damage

No tapes, no nails, no ladders and no damage to walls or ceilings.

Saves dust migration

Tight-Seal Accessories create a dust-free environment without the need for taping.



For more information or to order the Zipwall Barrier System from Protec

FREEPHONE: 0800 834 704

FREEFAX: 0800 834 705

EMAIL: sales@protection.co.uk

www.protection.co.uk/zipwall